

CAJO TAILOR GREEN™ - RELIABLE MARKING UNIT FOR NICHE MATERIALS

CAJO TAILOR GREEN™


Cajo Tailor Green™ laser marking unit can be integrated into a production line or into a device. The powerful laser marking machine is designed for 24/7 use in production facilities where high performance and reliability are required.

The cost-efficient laser marking unit has been designed to replace all outdated and wasteful marking methods, such as inkjets.

Cajo Tailor Green™ is suitable for the permanent marking of **metals, coated metals, soft materials** like **polymers**, such as **silicon**, and **sensitive parts** including **electronic components**. The flexible marking system is optimal for creating product markings for **full traceability** and **identification**, including micro-scale barcodes, data matrix and QR codes.

The Cajo Tailor™ Series can be operated with **CajoSuite™** PC software or with **CajoSmart™** embedded software. Both software solutions provide easy-to-use user interfaces that enable the marking systems to be controlled and monitored from another system such as MES, PLC, or computer.

Choose Cajo for reliable product marking.



CONTACT INFORMATION

Rasivainiontie 8
FI-90440
Kempele, FINLAND
+358 10 583 5020
info@cajotechnologies.com

CAJOTECHNOLOGIES.COM



CAJO SOFTWARE SOLUTIONS POWER YOUR PRODUCTION

Cajo Technologies combines laser control and software solutions for optimal marking results. Cajo's cutting-edge technology offers a high-performing solution to any production environment and application needs.



CajoSuite™



Cajo Control Board™

THE BEST PROCESS CONTROL ON THE MARKET

- High-quality marking on the fly for time-critical production lines
- Precise and fast control of the laser marking process
- High-quality markings
- Versatile and easy-to-use product marking software
- Connectivity to other processes



POWERFUL CONTROL BOARD
AND INTELLIGENT SOFTWARE



SUSTAINABLE TECHNOLOGY
WITHOUT ADDITIVES

CAJOSUITE™

Product marking has never been more efficient than with the cutting-edge laser marking software designed by Cajo Technologies.

CajoSuite™ is a comprehensive and easy-to-use software for laser marking. The flexible software contains features for designing markings and variables for full traceability and product identification. The user-friendly software offers a simple user interface for operators. The software has two modes, **Design Mode**, and **Production Mode**.




HIGH-QUALITY, PRECISE AND
PERMANENT MARKINGS



FAST MARKING ON THE FLY
FOR MASS PRODUCTION LINES

CAJOSMART™

CajoSmart™ is an embedded software designed for high-speed and time-critical manufacturing processes. CajoSmart™ enables synchronized control of several marking heads at the same time. This revolutionary solution provides first-class laser markings in a hectic manufacturing environment. No PC is needed on the production floor thanks to Cajo's embedded onboard control system.



LOW RUNNING COST,
SHORT PAYBACK TIME



VERIFIED MARKING PARAMETERS
FOR 4 000+ MATERIALS

TRADEMARK

All trademarks are the property of Cajo Technologies Ltd. All rights reserved. Information contained herein is subject to change without notice. No part of this Data Sheet may be reproduced in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Cajo Technologies Ltd. Cajo Technologies Ltd. retains ownership and all other rights of all drawings, models, shapes, solutions, ideas, or any kind of industrial property rights presented or expressed in this Data Sheet. All other use of the material presented or expressed in this Data Sheet except for getting acquainted with, quoting, ordering, or using in business otherwise involving Cajo Technologies Ltd. is strictly prohibited.



TECHNICAL DATA

Laser type	Pulsed fiber laser
Wavelength	532 nm
Laser class	Class 4
Laser power	20 W
Beam guiding	High-speed optical galvanometers
Marking speed (max)	500 characters/s or 7 m/s
Preview system	Not available
Marking field	150 x 150 mm
Max size for the markable part	Scalable
Cooling	Air
Power supply	110-240 V / 50-60 Hz
Power consumption	210 W
Marking software	CajoSuite™
Dimensions and weights (H x W x L)	
	Device enclosure 178 x 482 x 560 mm (17 kg) Marking head 150 x 148 x 660 mm (10,5 kg)
Ambient conditions	15-35 °C, humidity ≤80 %
Connectivity	I/O: 6 x IN 24 VDC, 6 x OUT 24 VDC 1 x RS-422 (incremental encoder input) 1 x LAN (for control) 1 x Serial port (laser source control) 1 x Service LAN (diagnostics only)
Safety interlock	Duplicated safety contacts with feedback
Computer recommendations (not included in standard delivery)	
Processor	Intel i5
Memory	4 GB
Hard drive	64 GB
Operation system	Windows 7 / Windows 10 / Windows 11
Interfaces	1 x LAN, 1 x Serial

TRADEMARK

All trademarks are the property of Cajo Technologies Ltd. All rights reserved. Information contained herein is subject to change without notice. No part of this Data Sheet may be reproduced in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Cajo Technologies Ltd. Cajo Technologies Ltd. retains ownership and all other rights of all drawings, models, shapes, solutions, ideas, or any kind of industrial property rights presented or expressed in this Data Sheet. All other use of the material presented or expressed in this Data Sheet except for getting acquainted with, quoting, ordering, or using in business otherwise involving Cajo Technologies Ltd. is strictly prohibited.

CAJOTECHNOLOGIES.COM

